

	Type	Hits	Search Text	DBs
1	IS&R	50	((("5815221") or ("5793452") or ("4983016") or ("5418546") or ("5526147") or ("5543942") or ("5546128") or ("5661608") or ("5687020") or ("5818597") or ("5860721") or ("5864374") or ("5895109") or ("6013911") or ("6113240") or ("6280034") or ("6375330") or ("6558001") or ("6577375") or ("6642989") or ("6710909") or ("5264835") or ("5300944") or ("6002458") or ("6243148") or ("5897192") or ("6246446") or ("5353133") or ("5477394") or ("5495306") or ("5499067") or ("5508834") or ("5772300") or ("5963276") or ("6034817") or ("6246450") or ("4868668") or ("5317436") or ("5371617") or ("5376979") or ("5381188") or ("5463433") or ("5504501") or ("5550605") or ("5581385") or ("5583694") or ("5606436") or ("5605390") or ("5626411") or ("5662402"))).PN.	USPAT; US-PGPUB; EPO; JPO
2	BRS	0	10/657527	USPAT; US-PGPUB; EPO; JPO
3	IS&R	12767	((353/30,31,99,119,37,78,84,33,34,38,69,99,101,81,94) or (349/5,58,158,61,8,10,110,161,201,42) or (348/744,771,766,745,750) or (359/619,858)).CCLS.	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
4	IS&R	50	(("5815221") or ("5793452") or ("4983016") or ("5418546") or ("5526147") or ("5543942") or ("5546128") or ("5661608") or ("5687020") or ("5818597") or ("5860721") or ("5864374") or ("5895109") or ("6013911") or ("6113240") or ("6280034") or ("6375330") or ("6558001") or ("6577375") or ("6642989") or ("6710909") or ("5264835") or ("5300944") or ("6002458") or ("6243148") or ("5897192") or ("6246446") or ("5353133") or ("5477394") or ("5495306") or ("5499067") or ("5508834") or ("5772300") or ("5963276") or ("6034817") or ("6246450") or ("4868668") or ("5317436") or ("5371617") or ("5376979") or ("5381188") or ("5463433") or ("5504501") or ("5550605") or ("5581385") or ("5583694") or ("5606436") or ("5605390") or ("5626411") or ("5662402")).PN.	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
5	BRS	0	(((("5815221") or ("5793452") or ("4983016") or ("5418546") or ("5526147") or ("5543942") or ("5546128") or ("5661608") or ("5687020") or ("5818597") or ("5860721") or ("5864374") or ("5895109") or ("6013911") or ("6113240") or ("6280034") or ("6375330") or ("6558001") or ("6577375") or ("6642989") or ("6710909") or ("5264835") or ("5300944") or ("6002458") or ("6243148") or ("5897192") or ("6246446") or ("5353133") or ("5477394") or ("5495306") or ("5499067") or ("5508834") or ("5772300") or ("5963276") or ("6034817") or ("6246450") or ("4868668") or ("5317436") or ("5371617") or ("5376979") or ("5381188") or ("5463433") or ("5504501") or ("5550605") or ("5581385") or ("5583694") or ("5606436") or ("5605390") or ("5626411") or ("5662402")).PN.) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj array) and image\$1	USPAT; US-PGPUB; EPO; JPO
6	BRS	3	(((353/30,31,99,119,37,78,84,33,34,3 8,69,99,101,81,94) or (349/5,58,158,61,8,10,110,161,201,4 2) or (348/744,771,766,745,750) or (359/619,858)).CCLS.) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj array) and image\$1	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
7	BRS	3	((((353/30,31,99,119,37,78,84,33,34,38,69,99,101,81,94) or (349/5,58,158,61,8,10,110,161,201,42) or (348/744,771,766,745,750) or (359/619,858)).CCLS.) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and ratio and (attenuation adj array)	USPAT; US-PGPUB; EPO; JPO
8	BRS	3	((((353/30,31,99,119,37,78,84,33,34,38,69,99,101,81,94) or (349/5,58,158,61,8,10,110,161,201,42) or (348/744,771,766,745,750) or (359/619,858)).CCLS.) and (projector or (project\$3 adj (system or device or apparatus))) and (attenuation adj array)	USPAT; US-PGPUB; EPO; JPO
9	BRS	0	353/\$ and (attenuation adj array)	USPAT; US-PGPUB; EPO; JPO
10	BRS	0	353/\$ and (attenuation adj array)	USPAT; US-PGPUB; EPO; JPO
11	BRS	1	359/\$ and (attenuation adj array)	USPAT; US-PGPUB; EPO; JPO
12	BRS	4	349/\$ and (attenuation adj array)	USPAT; US-PGPUB; EPO; JPO
13	BRS	2	348/\$ and (attenuation adj array)	USPAT; US-PGPUB; EPO; JPO
14	BRS	84	359/\$ and (attenuation adj (array or values))	USPAT; US-PGPUB; EPO; JPO
15	BRS	146	(353/\$ or 349/\$ or 348/\$ or 359/\$) and (attenuation adj (array or values))	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
16	BRS	0	(((("5815221") or ("5793452") or ("4983016") or ("5418546") or ("5526147") or ("5543942") or ("5546128") or ("5661608") or ("5687020") or ("5818597") or ("5860721") or ("5864374") or ("5895109") or ("6013911") or ("6113240") or ("6280034") or ("6375330") or ("6558001") or ("6577375") or ("6642989") or ("6710909") or ("5264835") or ("5300944") or ("6002458") or ("6243148") or ("5897192") or ("6246446") or ("5353133") or ("5477394") or ("5495306") or ("5499067") or ("5508834") or ("5772300") or ("5963276") or ("6034817") or ("6246450") or ("4868668") or ("5317436") or ("5371617") or ("5376979") or ("5381188") or ("5463433") or ("5504501") or ("5550605") or ("5581385") or ("5583694") or ("5606436") or ("5605390") or ("5626411") or ("5662402")).PN.) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj array) and image\$1	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
17	BRS	0	(((("5815221") or ("5793452") or ("4983016") or ("5418546") or ("5526147") or ("5543942") or ("5546128") or ("5661608") or ("5687020") or ("5818597") or ("5860721") or ("5864374") or ("5895109") or ("6013911") or ("6113240") or ("6280034") or ("6375330") or ("6558001") or ("6577375") or ("6642989") or ("6710909") or ("5264835") or ("5300944") or ("6002458") or ("6243148") or ("5897192") or ("6246446") or ("5353133") or ("5477394") or ("5495306") or ("5499067") or ("5508834") or ("5772300") or ("5963276") or ("6034817") or ("6246450") or ("4868668") or ("5317436") or ("5371617") or ("5376979") or ("5381188") or ("5463433") or ("5504501") or ("5550605") or ("5581385") or ("5583694") or ("5606436") or ("5605390") or ("5626411") or ("5662402")).PN.) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and (camera or "CCD" or captur\$3)	USPAT; US-PGPUB; EPO; JPO
18	BRS	5	(353/\$ or 349/\$ or 348/\$ or 353/\$) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and (camera or "CCD" or captur\$3)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
19	BRS	0	(353/\$ or 349/\$ or 348/\$ or 353/\$) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and (camera or "CCD" or captur\$3) and homograph\$3	USPAT; US-PGPUB; EPO; JPO
20	BRS	0	(353/\$ or 349/\$ or 348/\$ or 353/\$) and (projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and homograph\$3	USPAT; US-PGPUB; EPO; JPO
21	BRS	0	(projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and homograph\$3	USPAT; US-PGPUB; EPO; JPO
22	BRS	14	(projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and (camera or "CCD" or captur\$3)	USPAT; US-PGPUB; EPO; JPO
23	BRS	0	(projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and (camera or "CCD" or captur\$3) and (luminous or luminac\$3)	USPAT; US-PGPUB; EPO; JPO
24	BRS	0	(projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and (camera or "CCD" or captur\$3) and luminance	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
25	BRS	17	(projector or (project\$3 adj (system or device or apparatus))) and homography	USPAT; US-PGPUB; EPO; JPO
26	BRS	0	(projector or (project\$3 adj (system or device or apparatus))) and pixel\$1 and (screen or surface) and ratio and (attenuation adj (array or value\$1)) and image\$1 and (camera or "CCD" or captur\$3) and homography	USPAT; US-PGPUB; EPO; JPO
27	BRS	17	(projector or (project\$3 adj (system or device or apparatus))) and homography and pixel\$1	USPAT; US-PGPUB; EPO; JPO
28	BRS	2	(projector or (project\$3 adj (system or device or apparatus))) and homography and pixel\$1 and luminance	USPAT; US-PGPUB; EPO; JPO
29	BRS	14	353/\$ and homography	USPAT; US-PGPUB; EPO; JPO
30	BRS	14	353/\$ and homography and pixel\$1	USPAT; US-PGPUB; EPO; JPO
31	BRS	14	353/\$ and homography and pixel\$1 and coordinate\$1	USPAT; US-PGPUB; EPO; JPO
32	BRS	0	353/\$ and homography and pixel\$1 and coordinate\$1 and luminance	USPAT; US-PGPUB; EPO; JPO
33	BRS	10	353/\$ and homography and pixel\$1 and coordinate\$1 and (projector or (project\$3 adj (system or apparatus or device)))	USPAT; US-PGPUB; EPO; JPO
34	BRS	10	353/\$ and homography and pixel\$1 and coordinate\$1 and (projector or (project\$3 adj (system or apparatus or device))) and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device)))	USPAT; US-PGPUB; EPO; JPO



	Type	Hits	Search Text	DBs
35	BRS	2	353/\$ and homography and pixel\$1 and coordinate\$1 and (projector or (project\$3 adj (system or apparatus or device))) and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and array	USPAT; US-PGPUB; EPO; JPO
36	BRS	6	353/\$ and homography and pixel\$1 and coordinate\$1 and (projector or (project\$3 adj (system or apparatus or device))) and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and ratio	USPAT; US-PGPUB; EPO; JPO
37	IS&R	12785	((353/30,31,99,119,37,78,84,33,34,38,69,99,101,81,94,73) or (349/5,58,158,61,8,10,110,161,201,42) or (348/744,771,766,745,750) or (359/619,858)).CCLS.	USPAT; US-PGPUB; EPO; JPO
38	BRS	1	353/\$ and homography and pixel\$1 and coordinate\$1 and (projector or (project\$3 adj (system or apparatus or device))) and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and ratio and array	USPAT; US-PGPUB; EPO; JPO
39	BRS	7	353/\$ and homography and pixel\$1 and coordinate\$1 and (projector or (project\$3 adj (system or apparatus or device))) and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and (ratio or array)	USPAT; US-PGPUB; EPO; JPO
40	IS&R	320	(353/69).CCLS.	USPAT; US-PGPUB; EPO; JPO
41	IS&R	422	(353/69,70).CCLS.	USPAT; US-PGPUB; EPO; JPO
42	BRS	25	((353/69,70).CCLS.) and luminance	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
43	BRS	15	((353/69,70).CCLS.) and luminance and pixel\$1	USPAT; US-PGPUB; EPO; JPO
44	BRS	4	((353/69,70).CCLS.) and luminance and pixel\$1 and coordinate\$1	USPAT; US-PGPUB; EPO; JPO
45	BRS	3	((353/69,70).CCLS.) and luminance and pixel\$1 and coordinate\$1 and ratio\$1	USPAT; US-PGPUB; EPO; JPO
46	BRS	0	((353/69,70).CCLS.) and luminance and pixel\$1 and coordinate\$1 and ratio\$1 and array	USPAT; US-PGPUB; EPO; JPO
47	BRS	0	((353/69,70).CCLS.) and luminance and pixel\$1 and coordinate\$1 and ratio\$1 and array\$1	USPAT; US-PGPUB; EPO; JPO
48	BRS	0	((353/69,70).CCLS.) and luminance and pixel\$1 and coordinate\$1 and ratio\$1 and array\$1 and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device)))	USPAT; US-PGPUB; EPO; JPO
49	BRS	0	10/790977	USPAT; US-PGPUB; EPO; JPO
50	BRS	230	353/\$ and keystone	USPAT; US-PGPUB; EPO; JPO
51	BRS	97	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device)))	USPAT; US-PGPUB; EPO; JPO
52	BRS	4	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1 and luminance	USPAT; US-PGPUB; EPO; JPO
53	BRS	5	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and luminance	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
54	IS&R	12782	((353/30,31,99,119,37,78,84,33,34,38,69,99,101,81,94) or (349/5,58,158,61,8,10,110,161,201,42) or (348/744,771,766,745,750) or (359/619,858)).CCLS.	USPAT; US-PGPUB; EPO; JPO
55	BRS	162	((353/30,31,99,119,37,78,84,33,34,38,69,99,101,81,94) or (349/5,58,158,61,8,10,110,161,201,42) or (348/744,771,766,745,750) or (359/619,858)).CCLS.) and keystone	USPAT; US-PGPUB; EPO; JPO
56	BRS	66	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1	USPAT; US-PGPUB; EPO; JPO
57	BRS	51	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1 and coordinate\$1	USPAT; US-PGPUB; EPO; JPO
58	BRS	39	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness)	USPAT; US-PGPUB; EPO; JPO
59	BRS	4	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness) and	USPAT; US-PGPUB; EPO; JPO
60	BRS	39	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
61	BRS	32	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness) and array\$1	USPAT; US-PGPUB; EPO; JPO
62	BRS	32	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness) and array\$1	USPAT; US-PGPUB; EPO; JPO
63	BRS	32	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and array\$1	USPAT; US-PGPUB; EPO; JPO
64	BRS	0	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and array\$1 and homograph\$2	USPAT; US-PGPUB; EPO; JPO
65	BRS	36	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and (array\$1 or homograph\$2)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
66	BRS	4	353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and homograph\$2	USPAT; US-PGPUB; EPO; JPO
67	BRS	4	keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and homograph\$2	USPAT; US-PGPUB; EPO; JPO
68	BRS	87	keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity)	USPAT; US-PGPUB; EPO; JPO
69	BRS	56	keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device or captur\$3))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and array\$1 and (projector or (project\$3 adj (system or device or apparatus\$3)))	USPAT; US-PGPUB; EPO; JPO
70	BRS	8	(US-6554431-\$ or US-6375327-\$ or US-6709116-\$ or US-6715888-\$ or US-6729733-\$ or US-6568814-\$ or US-6527395-\$).did. or (US-20040141157-\$).did.	USPAT; US-PGPUB
71	BRS	37	(353/\$ and keystone and (camera or "CCD" or imager or (imag\$3 adj (system or apparatus or device))) and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness)) and	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
72	BRS	6	((US-6554431-\$ or US-6375327-\$ or US-6709116-\$ or US-6715888-\$ or US-6729733-\$ or US-6568814-\$ or US-6527395-\$).did. or (US-20040141157-\$).did.) and uniform\$3	USPAT; US-PGPUB; EPO; JPO
73	BRS	62	keystone and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and array\$1 and (projector or (project\$3 adj (system or device or apparatus)))	USPAT; US-PGPUB; EPO; JPO
74	BRS	4	keystone and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and homograph\$2	USPAT; US-PGPUB; EPO; JPO
75	BRS	109	keystone and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and array\$1	USPAT; US-PGPUB; EPO; JPO
76	BRS	0	10/766627	USPAT; US-PGPUB; EPO; JPO
77	BRS	62	keystone and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and array\$1 and (projector or (project\$3 adj (system or device or apparatus)))	USPAT; US-PGPUB; EPO; JPO
78	BRS	62	keystone and pixel\$1 and coordinate\$1 and (luminance or luminosity or brightness or lightness or intensity) and array\$1 and (projector or (project\$3 adj (system or device or apparatus))) and (array\$1 or matrix or matrices or homograph\$3)	USPAT; US-PGPUB; EPO; JPO
79	BRS	1	10/621366	USPAT; US-PGPUB; EPO; JPO